WILDLIFE REVIEW

AN ABSTRACTING SERVICE FOR WILDLIFE MANAGEMENT
ISSUED FOR THE INFORMATION OF COOPERATORS
BY THE
BUREAU OF BIOLOGICAL SURVEY
UNITED STATES DEPARTMENT OF THE INTERIOR

This issue of WILDLIFE REVIEW is devoted to indexes of Nos. 19-24, April-November 1939.

CONTENTS

	Page		Page
Special notices	1	Author index	
Subject index	2	Statistics	

SPECIAL NOTICES

No complete sets of WILDLIFE REVIEW are available, and no complete runs (i.e. index and the issues indexed), except the last--Nos. 18-24, inclusive.

Copies of back issues will be thankfully received. They may enable us to fill the sets of libraries or other inquirers. Please address to WILDLIFE REVIEW, Biological Survey, Department of the Interior, Washington, D. C.

Requests for the publications abstracted, other than Wildlife Research and Management (BS) Leaflets, should be sent, not to the Biological Survey, but to the address given in the bibliographic citation to the particular paper desired.

Readers are urged to send separates of, or references to, articles which they think should be abstracted in WILDLIFE REVIEW.

Exchange with related periodicals is invited.

Washington, D. C. No. 25 December, 1939

SUBJECT INDEX FOR WILDLIFE REVIEW
Nos. 19-24, April-November 1939

The classification used in the index is primarily from the wildlife management point of view, major headings being much the same as have been regularly used in WILDLIFE REVIEW. Subordinate grouping depends usually on the key word, which may be preceded by a proposition, article, or other trivial term. Federal agencies are arranged alphabetically under U. S. Government.

[Numbers, as 24-47, refer to the issue and page]

Bibliography:
- Biological journals, 24-47
- Bird periodicals, 24-46
- Conservation department organs, 24-45
- On diseases of wildlife, by R. G. Green and associates, 22-11
- Nature books and materials, 19-6
- Sources of material abstracted in WILDLIFE REVIEW, 21-27
- Sporting magazines, 24-45
- Texas wildlife, 24-2
- Wildlife management in relation to soil conservation, 19-2

Bureau of Animal Population (Oxford University), annual report, 1937-38, 19-32

Classification:
- Crawfishes, Mississippi, 24-3
- Ground squirrels (Citellus townsendi), 24-2
- Grouse, Spruce, 24-2
- Legumes of Wisconsin, 21-16
- Pocket gophers, 24-2
- Rat, Kangaroo (Dipodomys microps), 24-41
- Snakes, 24-2
- Ticks, 24-13

Conservation:
- In Alaska, 19-2
- CCC in, 19-7
- On an ecologic basis, 19-8, 24-3, 24-4
- Farmer's role in, 19-4, 24-4
- Federal aid to States in wildlife restoration, 19-2, 19-4, 19-8, 23-3, 23-19, 23-20, 24-48
- Federal laws, 19-2
- Game policy, 20-28
- General, 19-4, 21-6, 21-21, 23-29

Conservation--Continued
- History:
  - In Illinois, 19-8
  - In Missouri, 24-5
- History and significance of American wildlife, 21-25
- Santee-Cooper project, 24-5

Conservation of:
- Bears, Alaska brown, 22-2
- Bighorn, 19-6, 22-3, 23-3
- Bird enemies of grasshoppers, 22-3
- Bob-white, 21-23, 23-27
- Condor, California, 24-4
- Cottontail, 20-35
- Duck, Eider, 23-2
- Eagles, 22-3
- Farm wildlife, 19-9, 24-4
- Fur animals, 19-4, 19-8, 22-48, 23-2
- Game, 19-4
- Grouse, Sage, 19-8
- Hawks, 19-4, 21-18, 21-21, 22-4
- Heron, Great white, 23-3
- Mammals, marine, 21-8
- Musk ox, 23-2
- Owls, 19-4
- Pigeon, White-crowned, 23-3
- Swan, Trumpeter, 23-26
- Walrus, 24-29
- Waterfowl, 19-7, 19-8, 23-3, 24-49
- Wildlife, 19-9, 19-10

Control, 19-5
- Overdone, 22-4
- Predator control policy in national parks, 22-4
- Thallium, use of, in, 24-42

Control by electric fence:
- Antelope, bear, buffalo, cat, coyote, deer, elk, fishes, livestock, rabbits, raccoon, 20-21

Control methods:
Burning, 20-20
Electric fence, 20-21
Pole traps, 22-27
Screening:
Fish ponds, 20-7, 22-4
Seed spots, 19-10
Control of:
Bird damage to pine seeds, 19-10
Bird and rodent damage to seedlings, 19-10
Crawfishes, 24-5, 24-6
Dogs, 19-11
Fish predators, 22-4, 24-6
Ground squirrel, Thirteen-striped, 20-12
Ground squirrels in relation to quail, 20-15
Grouse predators, 24-6
Gull, Herring, to protect blueberries, 24-44
Hawks (blue darters), 22-26
Household animals, 24-7
Merganser, American, 20-7
Mosquitos, 23-6, 23-7
Pigeons, Domestic, 24-45
Plague carriers, 22-12
Pocket gopher, 24-7
Predators, 22-30, 22-48
Of big game, 21-18
Ragweed, 22-48
Range animals, 24-7
Raptors, 19-11
Rat:
Australian, 24-8
Cotton, by burning, 20-20
Rodents on the range, 19-11
Squirrel damage to tree tags, 19-12
"Vermin", 22-26
Wolf, 21-7
Cycles, 24-4, 24-8
Arctic animals, 19-12
Birds of Toronto region, 24-8
Bob-white, 22-27
Cottontail, 19-19
Grouse, 19-12, 23-13
Grouse, Ruffed, 20-35, 22-27, 23-3
Hare, Snowshoe, 19-13, 19-21, 22-5, 22-27
Microtus, Ontario, 22-5
Destruction:
Crippling losses, 20-29, 22-31, 22-32, 24-52
Highway mortality, 19-15, 20-34, 22-5, 24-33
Nesting losses, 23-7, 23-24, 24-29
Wildlife exploitation, 24-5
Winter losses, deer, 20-21
Destruction by:
Flood, 24-9
Mowing, 22-28, 23-5
Starvation, 20-21, 21-7, 22-8
Storm, 23-3, 24-9
Destruction of:
Big game, 24-49
Bighorn, 19-6, 22-3, 23-11
Birds, vanished or vanishing, 22-5
Blackbirds, by storm, 24-9
Caribou, Woodland, 21-11
Deer, 20-21, 23-12, 24-25
Dove, Mourning, 23-13
Eagles, 22-3
Fur animals, 24-50
Grouse, Sage, 19-8
Habitat:
Waterfowl, by storm, 23-3
Wildlife, 23-29
Mammals:
By flood, 24-9
Vanishing, 24-10
Mustelids, 19-9
Pheasant, Ring-necked, by mowing, 20-14
Quail, Valley, 20-15, 21-25
Sea lions, 24-9
Wildlife, 19-3, 19-4, 19-9, 23-29
Winter killing:
Bob-white, 19-14, 22-6, 22-27
Pheasant, Ring-necked, 19-14, 20-14
Diseases and parasites (general articles):
Animal borne, 24-10, 24-13
Management incentives, 24-49
Populations determining number of parasites, 22-13
Prevention, non-toxic shot, 19-16, 24-11, 24-49
Rodent borne, 24-13
Sparrow, English, vector of poultry parasites, 19-20
Tick vectors of animal diseases, 19-23

Diseases and parasites (special articles):
Acanthocephalids in ducks, 19-17
Amphimerus elongatus n. sp., 19-24
Anthrax in mink, 22-6
Arthritis in wild mammals, 22-7
Blackhead, 22-27
Blood parasites, 24-10
Bots in deer, 22-8
Botulism, 19-15, 19-16, 19-19, 19-20, 22-7, 23-3
Control of, 23-3
Resistance of vultures to, 22-7
Capillaria columbae, 22-8
Cestodes of starling, 19-23
Chastek paralysis, 19-16
Coccidiosis in birds, 19-17
Cochlosoma, 19-16
Cysticercus in cottontail, 22-8
Distemper, 19-19, 24-49
Identification, 22-8
Treatment, 22-9
Dracunculus, 19-16
Echinococcus, 22-9, 24-10
Eimeria, 19-17
Encephalomyelitis, 19-17, 22-9, 24-11
Identification, 22-8
Enteritis in raccoon, 19-17
Erysipelothrix, 24-41
Fibroma in deer, 24-11
Flukes in:
Ducks, 19-17
Grebe, 19-17
Turtles, 19-17
Fowl paralysis in pheasants, 19-18
Gapes, treatment, 22-10
Giardia, 22-10
Isospora boughtoni n. sp., 19-18
Lead poisoning, 19-16, 22-10, 24-11, 24-49
Leuchloridiomorpha macrocotyle n.sp., 19-24
Leucocytozoon, synonymy, 19-18
Liver fluke of deer, 19-18
Malaria, Bird, 19-18, 22-7, 22-10
Maritrema nettae, 19-24
Mesocercaria intermedia n. sp., 19-19

Diseases and parasites (special articles)--Continued
Nematodes of:
Ducks, 19-17
Frog, 21-12
Starling, 19-23
Papillomatosis in deer, 19-20
Perosis in game birds, 19-20
Persimmon wilt, 19-21
Plague, 24-10, 24-12
Bird carriers, 22-11
Flea carriers, 22-12, 24-12
Rodent carriers, 22-12, 24-12
Sylvatic, 22-11, 22-12
Plasmodium, 19-18, 24-13
Pneumonia in deer, 22-8
Polymorphus marilis n. sp. 22-11
Protocalliphora, 22-25
Pseudotuberculosis, 24-49
Rabies, 19-21
Sarcocystis in ducks, 19-21
Shock disease, 19-21, 24-49
Sickle-cell anemia, 19-22
Spotted fever, 24-10
Stephanoprora morgi n. sp., 19-23
Tapeworms in cottontail, 19-23
Thallitoxicosis, 24-42
Tick, Rabbit:
On birds, 22-12
On hare, Snowshoe, 22-12
Ticks, 19-23, 22-5, 24-13
Trematodes of:
Anatidae, 19-23
Frogs, 19-23
Renniferinae, classification, 19-24
Shore birds, 22-13
Snakes, 19-24
Turtles, 19-23
Tuberculosis, avian, 19-15
Tularemia, 22-13, 24-10, 24-13, 24-49
In relation to stocking rabbits, 19-24
Ulcerative enteritis, 19-19, 24-42
Diseases and parasites of:
Alaskan vertebrates, 19-15
Birds, 19-16, 19-18, 22-12
Bittern, 22-10
Blackbird, Redwing, 19-18

Diseases and parasites of--Continued
Bob-White, 19-19
Chipmunk, Eastern, 22-22
Chuckwalla, 24-41
Cottontail, 19-23, 22-8, 22-13, 23-34, 24-13, 24-25
Coyote, 24-25
Deer:
Black-tailed, 19-22
Mule, 19-22
White-tailed, 19-18, 19-20, 19-22, 20-21, 20-34, 22-8, 23-4, 24-10
Ducks, 19-16, 19-17, 19-21, 19-23
Eelgrass, 24-3, 24-10, 24-11
Elk, 21-7
Fox, Arctic, 19-3
Foxes, 19-21
In captivity, 19-16, 22-7
Frogs, 19-19, 19-23, 21-12
Godwit, Marbled, 22-13
Grebe, 19-17
Ground squirrel, Thirteen-striped, 20-12
Grouse:
Ruffed, 22-13, 22-23
Sharp-tailed, 24-13
Gull, Herring, 22-10
Hare, Snowshoe, 19-15, 19-15, 19-19, 19-21, 21-7, 22-11, 22-12
Heron, Little blue, 22-10
Kite, Mississippi, 20-13
Mallard, 22-11
Meadowlark, Western, 22-10
Mice, 19-15, 20-14, 22-5, 22-13
Mink, 19-15, 22-6
Mole, Brewer's, 24-26
Moose, 21-7, 22-9, 24-10
Muskrat, 22-10, 22-13
Opossum, 19-18
Partridge, Chukar, 23-26
Persimmon, 19-21
Pheasant, Ring-necked, 21-12, 22-9
Raccoon, 19-17
Rat, Wood, 20-15
Rodents, 24-13
Scaup, 22-11
Shore birds, 22-13
Skunk, 19-21
Snakes, 19-16, 19-19, 19-24
Diseases and parasites of--Continued
Sparrow:
Henslow's, 24-28
Swamp, 22-10
Squirrel, Gray, 21-26
Starling, 19-22, 19-23
Swallow, Tree, 22-25
Turtles, 19-17, 19-23
Vole (England), 19-32
Waterfowl, 19-18, 19-19
Wildlife, 19-24
Willet, 22-13
Wolf, 22-9, 24-10
Woodchuck, 20-16
Ecology (General articles):
Biologic balance, 19-4, 19-5, 19-8, 19-23, 22-13, 23-30
Check areas, 19-27
In conservation, 24-3
Edge effect, 20-25
Farming in relation to erosion control and wildlife, 19-25
Hedges in relation to biologic balance, 19-25
Ecology (special articles):
Aquatic plants, 20-33, 22-20
Biotic districts of Oklahoma, 19-25
Carrying capacity:
Deer yards, 23-10
Winter range, 24-14
Census methods, 19-32
Birds, 19-27
Bob-white, 20-34
Cottontail, 23-21
Deer, White-tailed, 23-4, 23-22, 24-33
Dove, Mourning, 24-14
Elk, 19-26
Fox, Red, 22-14
Fur animals, 19-26
Grouse, Ruffed, 19-26
Microtus, 22-13
Pheasant, Ring-necked, 23-4
Rat, 22-14
Skunk, Striped, 22-14
Clearings, 19-27
Cottontail, 24-25
Cover values, 24-15
Pheasant, Ring-necked, 19-28, 23-5

Ecology (special articles)--Continued
Cruising radius:
Cottontail, 24-25
Deer:
Mule, 24-30
White-tailed, 20-11
Grouse, Ruffed, 22-23
Mice, Jumping, 20-14
Mole, Brewer's, 24-26
Muskrat, 20-13
Rat, Wood, 20-15
Woodchuck, 20-16
Deer, in Idaho, 19-28
Drainage operations, 19-28, 20-34, 22-20, 23-5, 23-6, 23-7, 24-15
Drought, effects on:
Mammals, Oklahoma, 19-29
Mice, Meadow, 19-28
Muskrat, 20-13
Elk-deer competition, 19-29
Farm birds, 22-14
Farm wildlife, 23-17
Fur animals, 19-29
Groundhog dens used by cottontails, 24-15
Grouse:
Ruffed, 22-23
Sharp-tailed, 22-23
Land use in relation to:
Pheasant, Ring-necked, 23-5
Prairie chicken, 23-14
Limiting factors, 22-2, 23-8
On prairie chicken, Attwater's, 24-27
Mammals of Oklahoma, 19-29
Marsh in relation to waterfowl, 23-5
Mosquito control operations, 19-29, 19-30, 19-31, 22-15, 23-6, 23-7
Nesting success, 23-7, 23-25
Openings, 23-8
Overpopulations, 20-28
Big game, 20-18, 24-32
Deer:
Mule, 23-8
Oregon, 20-30
White-tailed, 20-20, 20-21
Elk, 19-29, 23-8
Partridge, Chukar, 23-26
Peat lands, 22-15

Ecology (special articles)--Continued
Pheasant, Ring-necked:
Ohio, 23-5
Pennsylvania, 23-5
Plant indicators, 19-31
Populations:
Bears, Alaska brown, 22-2
Birds, 24-16
Illinois, 22-14
Woodland, New York, 21-15
Bob-White, 20-34
Brant, California, 19-32
Cottontail, Iowa, 23-21
Deer:
Idaho, 19-28
Mule, 23-12
White-tailed, 20-20, 23-20, 24-33, 24-34, 24-49
Elk, 24-14
Fur animals, fluctuations, Illinois, 22-16
Grouse:
Ruffed, 22-23, 22-35
Sharp-tailed, 22-23
Hare, Snowshoe, 22-35
Mole, Brewer's, 24-26
Owl, Great horned, 22-16
Pheasant, Ring-necked:
Michigan, 20-30
Ohio, 24-33
Prairie chicken:
Attwater's, 24-27
Greater, 22-23, 23-14
Quail, Valley, 22-24
Skunk, 24-28
Swan, Trumpeter, 23-26
Vole (England), 19-32
Prairie chicken, 22-23
Sonoran biotic province, 22-16
Survival of marsh bird nestlings, 19-32
Territory:
Owl, Great horned, 22-16
Rat, Wood, 20-15
Woodpecker, California, 20-17
Turkey, Wild, 22-25
Wildlife, southeastern Ohio, 22-37

Economics of:
Alabama wildlife, 23-29
Beaver, 20-17
Big game, Wyoming, 24-32
Deer, White-tailed, Minnesota, 24-49
Fur animals:
Alaska, 24-36
Michigan, 20-35
Minnesota, 24-50
Pennsylvania, 23-29
Texas, 19-32
Insects, mites, and ticks, losses caused by, 19-33
Mustelids, 19-9
Rabbit, Jack, 19-33
Range wildlife, 21-13
Reindeer, 24-34
Songbirds, 24-50
Wildlife, 19-3, 19-4, 19-8
Of Minnesota, 21-14
Education:
Conservation, 19-33, 20-34, 23-9, 23-10
Through Conservation Clubs, 22-17
In 4-H Clubs, 19-34, 22-17, 23-9, 23-19, 24-17
Materials for, 19-6, 22-3, 23-29
By a museum, 19-34
By national agencies, 24-17
Need of, 19-8
Public schools, 22-17
Review of the field, 24-16
In Tennessee, 19-33, 19-34
Courses for public schools, 22-17
Extension, 22-17
By Cooperative Wildlife Research Units, 19-34, 22-2
In Michigan, 20-35
In Ohio, 22-29
Food habits (general articles):
Analysis technique, 22-36
Annual plants, value of, 22-38, 23-5
Barberry distribution, 22-18
Birds that feed on grasshoppers, 22-3
Bud eating, 24-18
Damage:
By black bears, 24-50
To blueberries, 24-44
Food habits (general articles)--Continued
Damage--Continued
By deer, 20-5, 20-21, 20-34, 22-19, 24-18, 24-19
To spruce by squirrels, 20-9
To woodland by wildlife (England), 20-26
Food chains, 19-29
Foods in wildlife management, 22-20
Grit requirements, 20-4
Nutritional requirements, white-tailed deer, 20-21, 20-34, 23-10
Nutritive value of:
Pinon nuts, 20-7
Range plants, 22-48
Squirrel foods, 21-14
Palatability ratings of food patch plants, 20-25
Salt requirements, deer, 23-12, 24-26
Utilization of:
Algae by waterfowl, 24-17
Annual plants, 22-38, 23-5
Elm buds, etc., 24-22
Food patch plants, 20-25
Fruits of woody plants, 20-9, 23-32
Legumes, 20-6, 22-21, 23-23
Persimmon, 19-21
Russian olive, 24-21
Water requirements of white-tailed deer, 23-12, 24-26
Food habits of:
Baldpate, 24-17
Bats, 20-2
Bear, Black, 24-17, 24-50
Beaver, 20-32, 24-24
Bighorn, 23-11
Birds, uncommon, 20-2
Bittern, Least, 20-10
Bobcat, 22-18
Bob-white, 20-2, 20-3, 22-20, 22-38, 22-39, 22-40, 22-41, 22-42, 22-43, 22-44, 23-33
Masked, 20-2
Bullfinch, 24-18
Caribou, 21-11
Cat, 19-14, 20-34, 22-23
Catbird, 22-18

Food habits of--Continued
Chipmunk:
Eastern, 22-22
Western, 24-21
Coot, 20-10, 24-23
Cormorant, 21-14
Cottontail, 22-20, 24-25
Coyote, 20-35, 21-19, 22-18, 24-18, 24-25
Crow, 22-18
Damage to crops, Oklahoma, 21-25
Deer:
Mule, 20-30, 24-33
White-tailed, 22-20, 22-42, 23-12, 23-32, 24-25, 24-33
Minnesota, 22-17, 22-29, 22-37
Nutritional requirements, 20-21, 20-34, 23-10
Deer damage, 24-18
To conifer plantings, 20-3, 22-19
On farms, 20-21, 20-34
To jack pine, 20-3
In Michigan, 24-19
Dove, Mourning, 21-14, 21-26, 22-38, 22-39, 22-43, 22-44
Duck:
Black, 24-17
Wood, 20-34
Ducks, Wild, 20-32, 20-33, 22-19
Eagle, Golden, 24-19
Eagles, 22-3
Fish-eating birds, 24-6, 24-19
Fox:
Arctic, 19-3
Gray, 20-4
Red, 20-4, 20-35, 22-20
Foxes, 21-14, 24-19
Gallinule, Florida, 20-10
Goose, Emperor, 20-2
Ground squirrel, Columbian, 24-21
Ground squirrels in relation to valley quail, 21-25
Grouse:
Blue, 20-12
Ruffed, 20-5, 21-14, 22-17, 22-20, 22-23, 23-10
Sage, 19-8

Food habits of--Continued
Gull:
California, 24-19
Herring, damage to blueberries, 24-44
Hare, Snowshoe, 20-5, 22-20
Hawk:
Marsh, 21-19, 24-20
Swainson's, 21-19
Hawks, 19-34, 20-5, 21-14, 21-18, 22-4
Heron, Great blue, 24-19
Kingfisher, 20-6
Kite, Mississippi, 20-13
Lizards, in insect control, 20-6
Merganser:
American, 20-6, 22-20
Red-breasted, 20-7
Mice, Jumping, 20-14
Microtus, damage by, 22-5
Microtus montanus, 24-21
Mink, 20-35
Mole, Brewer's, 24-26
Moose, 22-17
Muskrat, 20-13, 20-32
Otter:
Inland, 20-35
Sea, 20-14
Owl:
Barn, 19-23, 20-9, 20-17, 22-20
Great horned, 20-6, 22-16, 22-23
Short-eared, 20-8
Owls, 19-34, 20-5
Partridge:
Chukar, 23-26
European, 20-8, 22-21
Hungarian, 22-46, 22-47
Pelican, White, 24-19
Pheasant:
Amur, 24-20
Ring-necked, 20-2, 20-14, 21-14, 22-20, 22-23, 22-39, 23-5
Pigeon, Passenger, 20-2
Pocket gopher, 24-27
Prairie chicken, Attwater's, 24-27
Prairie dogs, 24-20
Quail:
Gambel's, 22-39
Valley, 22-45

Food habits of--Continued
Rabbit, European, 24-21
Raccoon, 20-9, 22-20
Rat:
Kangaroo, 24-21
Wood, 20-15
Raven, White-necked, 22-18
Robin, 22-18
Rodents vs. pine seeds, 24-21
Sanderling, 24-22
Scaup, Greater, 24-17
Skunk, 21-14
Snail (Polygyra), 20-9
Snakes, 23-10
Sparrow:
Bottori's, 20-2
English, 24-18
Honslow's, 24-28
Large-billed, 20-2
Squirrel:
Douglas's red, 24-22
Fox, 22-21, 23-11
Gray, 22-20, 24-22
In England, 20-16
Red, Eastern, 20-9
Damaging Table Mountain pine, 22-21
Starling, 24-22
Thrush, Song, 24-43
Turkey, Wild, 22-25, 22-42, 22-43, 23-11
Turtle, Snapping, 24-23
Vulture, Black, 24-23
Warblers, 21-18
Waterfowl, 20-33, 22-19, 22-20, 24-23
Waxwing, Cedar, 22-18
Wolf, 20-35
Woodcock, 22-20, 22-22, 23-15
Woodpecker, California, 20-17
Woodpeckers, 22-26
Introductions:
Game birds, 19-8, 19-10
Starling, 24-3
Squirrel, Gray, Great Britain, 20-16
Life histories (general articles):
Breath-holding in mammals, 20-13
Sex ratio:
Birds, 20-16
Bob-white, 23-31
Life histories (general articles)--Continued
Sex ratio--Continued
Deer:
Mule, 23-12, 24-30
White-tailed, 20-20; 20-21, 23-12, 24-25
Ducks, 23-13
Ground squirrel, Thirteen striped, 20-13
Microtus, 22-5
Pheasant, Ring-necked:
Adult, 24-33
Young, 20-15
Squirrel, Gray, 21-26
Life histories of:
Bear, Black, 20-10, 24-41
Beaver, 20-8, 20-9, 24-24
Bighorn, 20-11, 23-11
Chipmunk, Eastern, 22-22
Cottontail, 24-24
Coyote, 24-25
Crawfishes, 24-6
Deer:
Mule, 23-12
White-tailed, 20-11, 22-37, 23-12
Dove, Mourning, 23-13
Ducks, 23-13
Size of broods in British Columbia, 24-33
Eagles, 22-3
Eider, American, 20-11
Fox, Arctic, 19-3
Game birds, Idaho, 20-11
Goat, Mountain, 20-11
Goose, Greater snow, 20-12
Ground squirrel:
Thirteen-striped, 20-12
Townsend's, 22-22
Grouse:
Blue, 20-12
Ruffed, 22-23, 22-37
Sage, 19-8
Sharp-tailed, 22-23, 23-13
Hare, Snowshoe, 19-13
Kite, Mississippi, 20-12
Marten, 20-13
Mice, Jumping, 20-14
Mole, Brewer's, 24-26
Muskrat, 20-13
Breeding season, 23-14

Life histories of--Continued
Opossum, 24-42
Otter, Sea, 20-14
Partridge, Chukar, 23-26
Pheasant, Ring-necked, 19-14, 20-14, 22-23, 24-33, 24-50
Nesting study, 20-14
Plover, Piping, 22-23
Pocket gopher, 20-12
Prairie chicken:
Attwater's, 24-27
Greater, 22-23, 23-14
Quail, Valley, 20-15, 22-24
Rat, Wood, 20-15
Robin, 24-27
Shoveller, 23-14
Skunk, 22-24, 24-28
Sparrow:
English, 22-24, 24-28
Henslow's, 24-28
Squirrel, Gray, 21-26, 22-37
In England, 20-16
Squirrels, Wisconsin, 24-28
Swallow, Tree, 22-25
Swan, Trumpeter, 23-26
Tern, Arctic, 24-29
Thrush:
Bicknell's, 22-25
Song, 24-42
Wood, 20-16
Turkey, Wild, 22-25, 24-39
Walrus, 24-29
Woodchuck, 20-16
Woodcock, 23-15
Woodpecker, California, 20-17
Woodpeckers, 22-26
Management:
Apple trees, 22-26
Attracting:
Birds, 19-34, 21-26, 24-29
Owl, Barn, 20-17
Bear, Black, 20-28
Beaver, 21-17
Big game, 21-18
Bighorn, 23-11
Bob-white, 20-18, 22-26, 22-27, 24-33
In Maryland, 22-28
Preventing winter losses, 21-23, 23-27
Burning, 20-18, 20-19, 21-5, 22-26, 24-29, 24-30
Management--Continued
Clearing, 23-15, 24-30
Cottontail, 20-28, 22-27, 22-28, 24-33
Cover, 19-34, 20-20, 20-25, 20-23, 20-34, 22-27, 22-28, 22-30
For bob-white, 20-18, 20-19
In England, 20-26
In relation to insect pests, 20-20
For wild turkey, 20-20
Deer:
Mule, 24-30, 24-33
White-tailed, 20-20, 20-21, 20-28, 20-34, 23-12, 24-33, 24-50
Dove, Mourning, 23-13
Electric fence in, 20-21, 20-34
Elk, 20-22
Yellowstone, 24-14
Encouragement of natural reproduction, 19-9, 22-2
Environmental improvement, 21-9, 22-2, 22-30, 23-31, 24-31, 24-50
Farm wildlife, 19-4, 19-5, 20-22, 20-32, 20-34, 22-27, 22-28, 24-31
Farmer-sportsman relationship, 19-9, 20-23, 20-24, 20-28, 20-30, 20-35, 22-17, 22-29, 22-30, 23-15, 23-16, 23-17, 23-18, 23-19, 23-31, 24-5, 24-31, 24-49
Fee shooting, 23-18
Food patches, 19-34, 20-22, 20-24, 20-25, 20-34, 22-27, 22-28, 23-15, 23-33
Alabama, 21-2, 23-33
Minnesota, 21-13, 21-14
North Carolina, 20-34
South Dakota, 21-9
Virginia, 21-3
Wisconsin, 20-25
Field borders, 20-25, 21-9
Firebreaks, 21-6
Flushing bar, 19-35, 22-28
Forest management in relation to wildlife management, 20-17, 20-19, 20-21, 20-22, 20-25, 20-27, 20-33, 20-34, 21-5, 21-6, 22-26, 22-30, 24-32
Forest wildlife, 20-26, 20-27, 20-33, 22-28, 22-30, 24-31, 24-32
In England, 20-26

Management--Continued
Fox:
Blue, 21-8
Red, 20-28
Fur animals, 20-28, 24-50
Game birds, upland, Minnesota, 24-50
General, 20-28, 22-30
Illinois, 19-9
Ohio, 20-28
Grouse:
Blue, 20-12
Ruffed, 20-28, 20-35
Harvesting, 19-35, 24-31
Antelope, Oregon, 23-20
Big game, Wyoming, 24-32
Bob-white, 20-34, 22-31
Overshooting lowers winter resistance of survivors, 21-33
Controlled shooting, 22-30, 23-16, 23-17, 23-18, 23-20, 24-50
Ohio, 20-28, 20-29, 20-30, 22-31
Of squirrel, gray, 21-26
Cottontail, Ohio, 20-29, 22-31
Deer:
California, 22-32
Utah, 23-12, 24-30
Wisconsin, 23-20
Ducks, 23-13
Elk, 20-22
Farm game:
Ohio, 20-29
Pennsylvania, 20-24
Fur animals, 22-37
Partridge, Hungarian, Ohio, 20-29, 22-31
Pheasant, Ring-necked:
Michigan, 20-29
Ohio, 20-29, 20-30, 22-31
Pennsylvania, 22-23
South Dakota, 21-30
Public shooting grounds, 21-5, 21-6
New Jersey, 23-17
Ohio, 22-29
In relation to land use, 22-31
Squirrel, Gray, Ohio, 20-28, 24-32

Management--Continued
Harvesting--Continued
Walrus, 24-29
Waterfowl, 22-37
Illinois, 22-32
Whales, 21-8
Wildlife, Minnesota, 21-14
Hedgerows, 23-22
Herd regulation, 23-20, 24-32
Deer:
Oregon, 20-30, 23-9
Utah, 24-31, 24-33
Deer, White-tailed, 20-21, 23-22, 24-33, 24-50
Elk, 20-22, 20-31, 23-9
Highway mortality, control of, 19-14
Inventory, 22-2
Big game, 21-25, 24-44
Brant, California, 19-32
Cottontail, Iowa, 23-21
Deer, White-tailed, 24-33
Farm game, 19-35
Fox, Red, Iowa, 22-14
Fur animals, Pennsylvania, 20-31
Lakes of Wisconsin, 20-32
Mustelids, western national forests, 19-9
Pheasant, Ring-necked, Ohio, 24-33
Prairie chicken, Missouri, 23-14
Sea lions, California, 19-26
Skunk, Striped, Iowa, 22-14
Swan, Trumpeter, 23-26
Waterfowl, 22-37
Wildlife, southeastern Ohio, 22-37
Land planning for wildlife, 20-32, 22-2, 22-17
Leasing shooting rights, 20-32
Marsh and aquatic plants, 20-33
Natural reproduction, encouraging, 21-10, 21-11, 22-30
Non-toxic shot, 19-16, 24-11, 24-49
Partridge, Hungarian, 24-33
Pheasant, Ring-necked, 19-34
Ohio, 21-8
Planning, 19-4
Planting for waterfowl, 20-33, 21-4, 21-5, 21-25, 22-20
Planting for wildlife, 21-2, 21-3, 21-4, 24-49

Management--Continued
Planting for wildlife--Continued
Aquatics, 23-22
Coralberry, 24-34
Coverts, 21-2
Flowers for hummingbirds, 24-29
Fruits for birds, 24-29
Hedges, 21-3
Marsh and aquatic plants, 20-33, 21-4, 21-5, 21-25, 22-20, 23-22, 23-24, 23-25
Nuts, 24-34
Partridge peas, 21-3
Shelterbelts, 21-3
Specifications for trees and shrubs, 21-2
Windbreaks, 21-3
Planting for wildlife in:
California, 21-3
Minnesota, 21-2, 21-5
Missouri, 21-4
New Jersey, 21-3
Northeast, 21-5
Wisconsin, 21-3
Planting for wildlife and erosion control, 21-5, 22-33, 23-22, 23-23, 24-34, 24-49
Poisonous plants, 24-20
Pond development, 21-5, 21-7, 23-23, 23-24
Prairie chicken, Attwater's, 24-27,
Quail, Valley, 23-24
Raccoon, 20-28
Range, 20-31, 21-6, 21-7, 21-13, 21-14, 22-48
Refuges, 19-2, 19-4, 19-7, 19-28, 20-18, 20-28, 20-30, 20-32, 20-33, 21-6, 21-29, 21-30, 21-31, 22-2, 22-30, 22-32, 23-2, 23-24, 23-25, 24-31, 24-34, 24-49
For grouse, sage, 19-8
Minnesota, 21-14
Pheasant, Ring-necked, in Ohio, 21-7
Private, 21-7
In relation to overpopulations, 20-27, 20-30
In relation to restocking, 22-33
Waterfowl, 23-24, 23-25
As wildlife laboratories, 21-7

Management--Continued
Reimbursement for soil conservation practices, 22-33
Reindeer, 21-8, 24-34
Restoration, 19-8
Of environment, 19-7, 19-10, 19-28
Of mustelids, 19-9
Salting, 21-8
Seal, Fur, 21-8
Seed:
Breaking dormancy of Crataegus, 21-8
Storage, aquatic plants, 21-4
Skunk, 20-28
Soil conservation:
Reimbursable practices, 23-3
In relation to wildlife, 20-22, 20-25, 21-9, 21-13
Spraying wild fruit, 21-9
Squirrel, Gray, 20-34, 21-26
Squirrel box, 24-35
Squirrels, Wisconsin, 24-28
Stocking, 21-10, 21-11, 22-30
Big game, 20-18
Caribou, 21-11
Cost of in Delaware, 21-30
Cottontail, 19-24, 21-11
Ducks, New York, 23-25
Elk, 20-34
Grouse, Sharp-tailed, 20-35
In Missouri, 24-5
Moose, 20-34
Partridge, Chukar:
Missouri, 23-26
Pennsylvania, 21-11
Pheasant, 21-10, 21-11, 22-28
Reeves', Pennsylvania, 21-11
Ring-necked:
New Jersey, 23-17
Ohio, 23-26
Pennsylvania, 21-12
Quail, Valley, 22-33
Swan, Trumpeter, 23-26
Transplanting, 22-30
Beavers, 20-18, 24-35
Caribou, 21-7, 21-11, 21-12
Deer, Mule, 23-21
Elk, 21-12
Grouse, Sharp-tailed, 23-13

Management--Continued
Transplanting--Continued
Pheasant, Ring-necked, 21-7, 21-10, 23-26
Quail, Valley, 22-33
Trapping:
Beaver, 20-11
Caribou, 21-12
Deer, White-tailed, 24-35
Foxes, 21-25
Grouse, prairie, 21-12
Pheasant, Ring-necked, 23-26
Water supply, 20-28
Waterfowl, 20-28, 23-8
Wildlife:
On the range, 21-13
Of the Southwest, 19-10
Winter feeding, 19-7, 19-35, 21-13
Deer, 22-29, 23-12, 24-31
Quail, Valley, 23-24
Squirrels, 21-14, 22-34
Winter range, 21-14
Woodchuck, 20-28
Menageries, regulation of, 20-35
Natural history:
Age indicator:
Game birds, 26-27
Quail, 22-34
Waterfowl, 21-16
Alaska, 24-35
Birds of:
Dallas County, Texas, 24-36
Grand Canyon, Arizona, 24-36
Nebraska, 19-34
New York, Alleghany State Park, 21-14
Tennessee, 21-15
Texas, 21-15
Birds of prey, 24-36
Deer of the world, 24-36
Fauna, Olympic National Park, 21-15
Frogs and toads, southeastern United States, 24-37
Fur and game mammals of:
Alabama, 24-37
Alaska, 21-15
Herpetology of:
Kentucky, 24-37
Minnesota, 24-50
Oregon, 24-37
Quebec, 24-37
Natural history--continued
Legumes of Wisconsin, 21-16
Mammals of:
Commander Islands, 19-3
Idaho, 21-16
Labrador, 19-3
New York, 24-38
Oklahoma, 19-29
Quebec, 21-17
Tennessee, 21-17
Vermont, 19-3
Migration, 22-34
Papaw, 21-17
Rattlesnakes, 24-38
Reptiles of:
Arkansas, 21-17
Ohio, 21-18
Snake bite vs. livestock, 22-34
Warblers of New Jersey, 21-18
Wildlife of:
Salt marshes, 21-18
Tennessee, 21-15
Pollution, 19-8, 20-33, 22-20
Predation, 19-4, 19-5, 22-27, 22-28
(general articles)
Ground squirrels in relation to valley quail, 21-25
Hawks in relation to quail, 21-18
Prey determining number of predators, 19-13
Relation to animal populations, 22-4
Role of cover in, 21-15
Squirrel, Gray, in relation to birds, 20-34
"Vermin" problem, 19-4, 19-5, 21-6, 22-26
Predation on:
Bighorn, 20-11
Bob-white, 21-18, 23-28
Cottontail, 22-28
Deer, Oregon, 20-30
Ducklings, 24-38
Fishes, 22-4
Goat, Mountain, 20-11
Grouse, Ruffed, 22-23, 22-35, 24-7
Hare, Snowshoe, 22-35
Microtus, Ontario, 22-5
Partridge, Chukar, 23-26
Pheasant, Ring-necked, 21-7
Quail, Valley, 21-25, 23-24
Salmon, 24-6

Predation on--Continued
Shovoller, 23-15
Thrush, Song, 24-43
Waterfowl, 23-8
Predators, 19-35, 20-32
Control policy in national parks, 22-4
Fire ants, 22-27
Identification by their work, 20-15
Of Minnesota, 22-35
Need of, 20-28
Relative quantities of food consumed by, 21-19
Propagation:
Artificial, limitations on, 21-10
Bob-white, 21-21
Cottontail, 22-30
Deer, 24-45
Duck:
Mandarin, 21-19
Wood, 21-19
Foxes, 21-25, 21-26
Fur animals, 22-37
Goose, Canada, 21-19
Grouse, Ruffed, 22-35
Incubation, period of, for 39 kinds of pheasants, 21-21
Irradiation results:
Game birds, 23-27
Mink, 22-35
Pheasants, 21-20
Raccoon, 21-20
Mammals, small, care in captivity, 22-48
Mortality in gallinaceous embryos, 21-20
Partridge, Hungarian, 21-21
Pheasant, Ring-necked, 21-12, 21-21, 22-30, 24-31
Raccoon, 21-22
Tools, 21-22
Turkey, Wild, 21-22, 22-30, 24-39
Vices, control of, 21-21, 21-22
Wigeons, 21-22
Research, 19-4, 23-31
Basis of management, 21-23
Bob-white's resistance to cold, 21-23, 23-27
Carrying capacity, 22-36
Climatometer, 21-23
Climbing method, 24-39
Research--Continued
Control methods, 19-2
Cover, 22-37
Deer, White-tailed, 22-37
Diseases of wildlife, 19-2
Economics of wildlife, 19-2
Experiment Station, Michigan, 23-28
Experimental areas, 19-9
Federal-State cooperative wildlife program, 19-34, 21-26
Food habits, 22-36
Of predators, 20-35
Food supplies, 22-37
On forest-wildlife relationships, 19-2, 21-26
Fur animal:
Conservation, 19-2
Utilization, 19-2
Hair identification, 24-39
Histology in stomach analysis, 22-36
Grouse, Ruffed, 22-37
Land uses in relation to wildlife, 22-37
Live trapping rabbits, 24-40
Management, 19-2
Of grouse, ruffed, 20-35
Marking rabbits, 24-40
Marking:
Banding:
Birds, general instructions, 24-45
Woodcock, 21-22
Feather marking, 23-36
Tagging elk, 21-24
Population studies, 19-32
Range wildlife, 19-2, 24-14
Respirometer, 21-24
Sexing sharp-tailed grouse, 24-40
Sperm studies, 22-37
Squirrel, Gray, 22-37
Status of wildlife, 19-2
Tracking, 23-28
Trapping:
Lizards, 24-40
Fur animals, in Pennsylvania, 23-29
Water supplies, 22-37
On wildlife of Ohio, 22-37

U. S. Government:
Biological Survey:
Aleutian Islands Refuge, 24-48
Annual Report, 1937-38, 19-2
Control operations, 19-2
Cooperative wildlife management research, 19-34, 21-26, 21-30, 22-2
Educational activities, 24-17
Federal aid in wildlife restoration, 19-2, 21-29, 22-2, 24-48
Plans and needs, 19-8
Refuge program, 19-2, 19-3, 22-2
Waterfowl situation, 1938-39, 22-37
Bureau of Agricultural Economics:
Work bearing on wildlife, 19-8
Bureau of Fisheries:
Plans and needs, 19-8
Civilian Conservation Corps:
Educational activities, 24-17
Work bearing on wildlife, 19-7, 19-8
Extension Service:
Educational activities, 25-9, 24-17
Forest Service:
Bighorn on national forests, 19-6
Deer winter range survey, Malheur National Forest, Oregon, 1938, 20-30
Educational activities, 24-17
Plans and needs, 19-8
Policy in game management, 20-27
National Park Service:
Educational activities, 24-17
Plans and needs, 19-8
Wildlife census, 24-48
U. S. Government--Continued
Office of Education:
Conservation activities, 24-17
Soil Conservation Service:
Bibliography of soil erosion and soil and water conservation, 19-2
Educational activities, 24-17
Hedges conserve soil and wildlife, 19-25
Legumes for erosion control and wildlife, 20-6
Plans and needs, 19-8
Roderts and soil conservation, 19-11
Wildlife in the land utilization program, 20-32
Wildlife management in, 24-49
Weights:
Bear, Black, 24-17, 24-41
Birds in general, 21-24
Cottontail, 24-24
Coyote, 24-25
Deer:
Mule, 24-32
White-tailed, 20-20, 24-41
Elk, 24-32
Ground squirrel:
Thirteen-striped, 20-12
Townsend's, 22-22
Grouse, Sharp-tailed, 24-40
Hare, Snowshoe, 19-19
Marten, 20-13
Owl, Great horned, 20-8
Skunk, 22-24
Sparrow, Henslow's, 24-28
Squirrel, Gray, 21-26, 24-32
Walrus, 24-29

AUTHOR INDEX FOR WILDLIFE REVIEW
Nos. 19-24, April-November 1939

[Numbers, as 24-9, refer to the issue and page]

Abbott, Clinton G., 24-9
Abegg, Roland, 21-21
Ackers, C. P., 20-26
Adams, Lowell, 24-22
Aldous, Clarence M., 23-15
Aldous, Shaler E., 20-3, 22-37, 24-49
Allen, Philip F., 23-23
Allen, Durward L., 21-10, 22-24, 23-28, 24-21
Allen, Elsa G., 22-22
Allen, Joseph C., 23-11
Allred, Charles E., 21-15
Anderson, Parker O., 24-49
Anderson, Rudolph M., 21-17
Arent, Frank S., 24-37
Asmundson, V. S., 21-20
Atkins, Samuel W., 21-15
Austin, Thomas S., 24-24
Bagley, Lester, 21-12
Bailey, Florence M., 24-36
Bailey, Roboson, 21-13
Bailey, W. W., 20-5
Baker, John H., 20-23, 23-16
Baker, Rollin H., 20-15
Baldwin, S. Prentiss, 21-24
Barabash-Nikiforov, I., 19-3
Barker, Elliott S., 22-3
Bartlett, I. H., 20-20, 24-33
Bass, Charles C., 19-20, 21-22, 24-42
Bassett, Charles F., 21-25, 21-26
Baumgartner, Frederick M., 22-16, 22-34, 22-36, 23-13
Baumgartner, Luther L., 21-13, 23-11
Beadel, H. L., 21-18
Beattie, R. Kent, 19-20
Beaudette, F. R., 19-17
Bell, J. Frederick, 19-16
Bellrose, Frank C., 22-32
Benjamin, J. R., 23-15
Bennett, Byron L., 19-17
Bennett, J. M., 21-2
Bennett, Logan J., 20-2, 23-4
Bennitt, Rudolf, 22-30, 23-31, 23-14
Benson, Dirck, 23-25
Bent, Arthur C., 22-26
Bernard, Richard M., 20-13
Beyers, Lillian E., 21-22
Bills, William E., 22-6
Bissonnette, Thomas Hume, 21-20, 22-35
Blair, W. Frank, 19-25, 19-29, 24-9
Blake, James, 19-26, 24-32
Boeglin, Louis, 21-3
Boettiger, Edward G., 21-24
Bolander, Gordon, 22-20
Bond, Richard M., 19-11, 20-5, 22-18
Bonnot, Paul, 19-26
Bordner, John S., 20-31
Borell, Adney E., 19-11
Boughton, Donald C., 19-17
Bourn, Warren S., 23-5, 23-6
Bower, Ward T., 21-8
Brackett, Sterling, 19-16
Bradbury, Harold M., 22-26
Bradley, G. H., 19-29
Bradt, G. W., 23-16
Brassard, J. A., 20-13
Breckenridge, W. J., 24-50
Brown, Richard M., 22-7
Buhler, Ernest O., 21-31
Bump, Gardiner, 23-2, 23-27
Burlington, H. J., 23-15
Burroughs, R. D., 20-23, 20-29
Burt, Charles E., 24-37
Burton, O. A., 24-39
Byrd, Eloh E., 19-17, 19-24
Cahalane, Victor H., 20-17, 21-15, 22-4, 24-36
Caldwell, Cyril, 22-20
Caldwell, John C., 19-33
Cameron, Thomas W. M., 19-24
Cannon, D. G., 19-22, 19-23
Carr, Katherine, 24-37
Carhart, Arthur H., 19-6
Case, George, 19-29, 21-8
Causey, O. R., 24-12
Chaddock, T. T., 19-20, 22-21, 24-19
Chapel, Wm. L., 20-33
Chapman, Floyd B., 20-28, 21-9, 21-13, 21-26, 22-34, 22-37, 23-12, 24-25, 24-32
Chapman, H. H., 19-10
Chapman, Lawrence B., 22-25

Chitty, Dennis, 19-12, 22-5
Chitty, Helen, 20-8
Christoffers, Harry J., 21-8
Clark, Arthur L., 22-33
Clark, G. H., 19-26
Clark, Leonard, 23-27
Clarke, C. H. D., 20-9
Clarke, J. Lyell, 23-6
Clarke, Miriam K., 22-9
Clarke, Talbott E., 20-5, 23-10, 23-11, 24-17
Clauson, Robert T., 24-37
Clay, William M., 24-2
Clemens, W. A., 20-7
Cliff, Edward P., 23-8
Cline, Justus H., 22-29, 23-16
Coburn, Don R., 23-3
Coghill, G. E., 24-42
Collins, Gronold, 24-29
Compton, Lawrence V., 21-12
Conant, Roger, 21-18
Conklin, W. Gard, 20-23, 24-31, 24-34
Connors, Charles H., 21-2
Conti, L. F., 24-41
Cook, David B., 22-30
Cooley, R. A., 24-13
Cory, Ernest N., 22-15
Cottam, Clarence, 20-2, 22-19, 23-5, 23-6, 23-10, 24-10, 24-17, 24-19
Couch, Leo K., 22-2
Cox, William T., 20-5, 21-6
Craighead, Frank, Jr., 24-36
Craighead, John J., 24-36
Cramer, Albert J., 21-24
Crandall, Bowen S., 19-20
Criddle, Stuart, 20-12
Crosthwait, S. L., 22-15
Crowley, J. H., 24-41
Cruickshank, Allan D., 22-24
Csech, Albert G., 21-20
Culley, Matt, 22-36
Dachnowski-Stokes, A. P., 22-15
Dahlen, Bernhard C., 24-35
Dale, Frederick H., 24-41
Dambach, Charles A., 20-22
Darrow, Robert, 23-10
Davenport, La Verne A ., 23-10
Davis, Cecil N., 21-5, 23-23
Davis, D. H. S., 22-14
Davis, Kenneth S., 20-22
Davis, William B., 21-16, 24-2
Davison, Verne E., 20-25, 22-38
Day, Albert M., 19-2, 22-2, 23-19
Dearborn, Ned, 24-39
Deck, Raymond S., 20-9
Delaplane, J. P., 22-9
De Nio, R. M., 20-4
Denton, J. Fred, 19-24
Dery, A., 20-12
Dousing, Murl, 24-26
Dice, Lee R., 22-16, 24-27
Dickerson, L. M., 22-5
Dill, Herbert H., 23-24
Ditmars, Raymond L., 22-34
Dixon, Joseph S., 22-3, 23-20
Dougherty, R. W., 19-22
Drill, Nina, 24-38
Dymond, J. R., 19-12
Eadie, W. Robert, 24-26
Edminster, Frank C., 20-25, 23-22, 24-7
Edwards, O. T., 20-30
Egbert, George L., 19-11
Ehrhart, E. O., 24-30
Einarsen, Arthur S., 23-20
Elkins, Winston A., 24-50
Elton, Charles, 19-32, 22-5, 24-15
Emlen, John T., Jr., 22-24
Enders, Robert K., 22-37, 23-14
English, P. F., 20-2
Enlow, C. R., 19-25
Erickson, Arnold B., 19-12, 19-15, 24-24
Errington, Paul L., 19-14, 20-2, 20-13, 23-28
Eskey, C. R., 24-12
Evans, C. A., 19-19, 22-8
Evans, Richard I., 21-16
Fassett, Norman C., 21-16
Feldman, Jm. H., 19-15
Fenstermacher, R., 24-49
Fenton, Carroll Lane, 19-33
Fisher, Edna M., 20-14
Fisher, Lee W., 22-23
Flemion, Florence, 21-8
Ford, John, 20-8
Fox, Adrian C., 21-9
Fox, Herbert, 22-7
Francis, Edward, 24-13
Franklin, Sydney, 23-22
Fredine, Gordon, 19-16, 24-49
Frison, Theodore H., 19-8
Fryer, J. C. F., 24-18

Gabrielson, Ira N., 19-2, 19-9, 20-12, 21-6, 23-2
Gaines, Stanley H., 19-2
Gorstell, Richard, 21-23, 22-27, 23-27, 24-15, 24-41
Gibbons, R. J., 24-13
Gibson, Arthur, 24-7
Giles, LeRoy W., 20-9
Gillese, John, 21-4
Gillham, C. E., 24-49
Girard, George L., 19-8, 23-14
Glading, Ben, 20-15
Glasgow, Robert D., 19-30
Glover, Katherine, 19-3
Godden, F. W., 20-11
Goldman, E. A., 24-2
Good, Ernest E., 20-22
Gooding, Leslie N., 22-33
Gordon, Kenneth L., 24-37
Gorsuch, D. M., 22-39
Gould, H. P., 21-17
Gowanloch, James N., 22-5, 24-5
Gower, W. Carl, 19-18, 19-21, 19-23, 23-27
Graf, William, 24-37
Graham, Edward H., 20-6, 22-21, 23-23
Gray, Anderson M., 20-3
Gray, Donald V., 23-8
Green, R. G., 19-16, 19-19, 19-21, 19-26, 22-8, 22-11, 22-12, 22-13, 24-49
Green, Wm. E., 20-14
Greene, S. W., 24-29
Greffenius, R. J., 22-13
Griffith, Richard E., 23-3
Grimm, Rudolf L., 24-14
Guilford, H. M., 19-21
Gutermuth, C. R., 21-17
Gutzman, L. T., 20-11
Gwatkin, Ronald, 24-11
Haas, V. H., 24-12
Hall, E. Raymond, 24-41
Hall, I. C., 19-15
Hamerstrom, F. N., Jr., 19-26, 21-12, 22-22, 24-32
Hamilton, W. J., Jr., 19-4, 22-18, 24-26
Hanson, Herbert C., 19-27, 22-13
Hanson, John, 22-8
Harrington, Robert W., Jr., 22-10
Harris, Kenton L., 20-20
Hatton, S. Ross, 19-26
Hatch, A. B., 20-18, 21-9, 21-10
Hatfield, Donald M., 24-19
Hausman, Leon A., 21-18
Hawbecker, Albert C., 24-18
Hawkins, Arthur S., 22-32
Hegner, Robert, 22-7
Heintzleman, B. Frank, 22-2
Hendrickson, George O., 20-8, 23-21
Henry, Cordia J., 23-24
Herman, Carlton M., 19-18, 22-12
Hermel, Louis C., 23-8
Hero, Casimir, 19-32
Heyward, Frank, 20-18
Hickey, Joseph J., 24-16
Hickie, Paul, 21-11
Hicks, Lawrence E., 20-29, 22-31, 23-26, 24-33
Hill, Russell G., 19-34, 20-24, 22-33
Hochbaum, Albert, 23-13
Hoffmaster, P. J., 23-19
Holt, Ernest G., 19-25, 21-9
Holtzapple, Raymond, 24-35
Honess, Ralph F., 24-11
Hopkins, Ralph, 24-41
Horn, E. E., 21-25, 21-26
Hosley, N. W., 19-35, 22-20
Hoyle, Wm. L., 19-20
Howarth, C. R., 22-6
Hubbell, T. H., 19-25
Huff, Clay G., 24-10
Hull, A. V., 23-26
Hunt, Roy M., 21-21
Hunter, Russell J., 22-18
Hurley, Richard J., 19-6
Hyde, A. Sidney, 24-28
Hyslop, J. A., 19-33
Imler, Ralph H., 21-25, 22-18
Irving, Laurence, 20-13
Ivey, Julian C., 23-29
Jackson, C. F., 19-3
Jellison, William L., 22-11
Jensen, L. P., 21-4
Jewett, Stanley G., Jr., 24-37
Johnson, F. W., 22-32
Johnson, Harlen G., 24-33
Jones, Elmer A., 23-32
Jones, H. Walter, Jr., 24-28
Jones, John C., 24-11
Jones, Walter B., 23-6
Jungherr, Erwin, 19-18
Kalmbach, E. R., 21-25, 22-7, 23-7

Kauffmann, Erle, 24-5
Kelker, George H., 19-29
Keller, Wm. N., 24-42
Kellogg, Remington, 21-17
Kelso, Leon H., 24-20
Kelway, Phyllis, 20-16
Kendeigh, S.Charles, 21-24
Kenney, F. R., 19-28
Kestler, J. W., 20-34
Kettunen, A. G., 24-17
Kichlbauch, Wm., 21-19
Kirk, Walter F., 23-16
Klauber, Laurence M., 24-38
Knappen, Phoebe, 20-2
Knowlton, George F., 20-6
Kohls, Glen M., 24-13
Krauch, Hermann, 19-10
Lagler, Karl F., 20-6, 22-4
Langenbach, John R., 20-8
La Noue, Francis D., 19-26
Larson, C. L., 19-21
Larson, Charles P., 24-42
Lascelles, Tony, 19-8
Latham, Roger M., 22-25
Lay, Daniel W., 19-27, 19-32, 20-15
Leedy, Daniel L., 19-27, 20-14, 20-29, 20-30, 21-7, 23-5, 23-26
Lehmann, Valgene W., 20-18, 22-40, 24-27
Lehmer, C. B., 22-35
Leopold, Aldo, 20-25, 20-28, 23-16, 24-3, 24-4
Leopold, A. Starker, 22-34
Lescarbeura, Austin C., 24-39
Leslie, P. H., 22-14
Lewis, Harrison F., 20-11
Ligon, J. Stokley, 19-10
Lloyd, Hoyes, 23-2
Lincoln, Frederick C., 22-34, 24-45
Lindsey, Alton A., 24-32
Little, Elbert L., Jr., 20-7
Loukashkin, A. S., 24-20
Lumley, Ellsworth D., 19-7, 22-3
Lyle, Clay, 24-5
Lynch, John J., 24-17
Mackie, D. B., 22-12
MacNamara, Lester G., 23-16
Madsen, Holger, 24-21
Manges, J. D., 24-42
Manweiler, J., 21-6, 21-11, 21-12, 24-40, 24-50
Marsden, Stanley J., 24-39
Martin, A. C., 22-19, 22-36, 23-11
Martin, J. Holmes, 24-39
Marshall, William H., 19-9
Mass, Fred H., 19-28
Massey, A. B., 21-3
May, Franklin H., 23-11
Mayr, Ernst, 20-16
McAtee, W. L., 19-28, 20-21, 20-33, 21-18, 21-27
McCachran, R. A., 24-31
McCain, Randal, 23-22
McCann, Lester J., 20-4
McClanahan, Robert C., 24-44
McClure, H. Elliott, 24-14, 24-39
McDermid, A. M., 19-17, 22-8
McDougall, W. A., 24-8
McDowell, Robert D., 20-8
McIlhenny, E. A., 24-23
McLean, D., 22-10
McKenny, Margaret, 24-29
Melander, L. W., 22-18
Melis, Percy E., 20-27
Mendall, Howard L., 21-22
Middleton, A. D., 20-8
Middour, J. C., 20-3
Millard, Clarence, 21-21
Miller, Fred, 21-13
Minor, Fred T., 22-8
Moffitt, James, 19-32
Mohr, Carl O., 22-16
Mollenhauer, Wm., Jr., 22-21
Montgomery, George A., 22-29
Montgomery, W. E., 24-32
Moore, Ellwood B., 20-25
Moore, Eugenia Rutland, 23-34
Moore, George C., 23-13
Morse, Marius A., 22-35
Morton, James N., 20-3, 22-30
Mose, Catherine, 21-16
Moss, A. E., 22-31
Mullen, Frank E., 23-9
Munro, J. A., 20-7, 24-23, 24-38
Murphy, Robert Cushman, 19-4, 19-5, 24-5
Murray, T. B., 20-11, 20-12
Mussler, Glenn E., 24-34
Nagel, Werner O., 23-25
Nelson, A. L., 20-5, 24-17
Nichols, J. T., 22-24
O'Connell, Frank B., 21-4

Odlaug, Theron O., 19-19
Odum, Eugene P., 24-9
Olivier, Louis, 19-19
Olsen, Orange A., 21-14
Olson, A. L., 20-31
Osgood, Frederick L., Jr., 19-3
Ott, George L., Jr., 22-9
Palmer, C. M., Jr., 19-34
Palmer, E. Laurence, 23-9, 24-16, 24-38
Parsell, Jack, 20-22
Parsonson, W. J., 21-19, 21-22
Parten, H. L., 24-7
Paul, Allard A., 19-23
Pearson, Allen M., 21-2, 23-13
Peterson, Walter A., 20-32
Pettingill, Olin S., Jr., 22-22, 24-29
Philip, Cornelius B., 19-13, 19-15, 19-23
Pitelka, Frank A., 24-9
Plattes, Cyril, 20-4
Pough, Richard, 22-4
Price, Raymond, 24-7
Pyle, Norman J., 22-7
Quortrup, E. R., 23-3
Rachford, C. E., 24-34
Randall, Pierce E., 22-23, 23-32, 23-4, 24-20
Raskopf, Benjamin D., 21-15
Rasmussen, D. I., 23-12, 24-30
Reed, H. R., 24-29
Reeds, Frank H., 24-34
Riley, William A., 22-9, 24-10
Ritter, Wm. E., 20-17
Roberts, Thomas S., 24-50
Rodgers, Thomas L., 24-40
Rosene, Walter, Jr., 21-26
Ross, W. A., 23-9
Royal, Lloyd A., 24-22
Ruedemann, Rudolf, 20-10
Ruff, Frederick J., 23-4, 24-35
Ruggles, Dyer N., 23-32
Ruhl, H. D., 20-34
Rule, Glenn K., 21-5
Rutland, Don, 21-15
Rutledge, Archibald, 21-7
Saari, Matt, 22-17
Salyer, J. Clark, II., 20-6
Sampson, Arthur W., 19-31
Sanders, Roy D., 23-20
Saugstad, Stanley, 19-33
Saunders, Aretas A., 21-14
Schantz, William E., 24-27
Schoonmaker, W. J., 20-10, 20-11
Scott, W. E., 24-10
Scott, Thos. G., 19-13, 22-14
Schwardt, H. H., 21-17
Sedam, John, 24-34
Seghetti, L., 22-6
Self, J. Teague, 24-23
Selko, Lyle F., 22-14
Sellards, Andrew W., 19-17
Shadle, Albert R. 24-24
Shantz, H. L., 19-6
Shary, Ward M., 21-4, 23-22
Sheldon, Carolyn, 20-14
Sheldon, H. H., 24-4
Sheldon, H. P., 21-25
Sherman, H. B., 20-2
Shepherd, Harry W., 21-3
Shoemaker, Carl D., 23-19
Short, Alexander W., 22-29, 23-19
Siivonen, Lauri, 24-42
Silta, Henry, 21-21
Simmons, James R., 19-13, 21-5
Simpson, Thomas W., 20-10
Slattery, Harry, 24-35
Smith, Clarence F., 22-37
Smith, Laurence H., 20-17
Smith, Robert H., 23-24
Southern, H. N., 24-40
Sowls, Lyle K., 20-25
Speakes, Harry E., 21-14
Speirs, J. Murray, 24-8
Sperry, Charles C., 24-18
Stauber, Leslie A., 22-10
Stebler, A. M., 23-28
Stoenis, John H., 23-25
Stephens, E. Sydney, 24-5
Stevens, Neil E., 24-11
Stevenson, Donald D., 19-12
Stewart, George, 24-7
Stewart, M. A., 22-12
Stickel, William H., 24-2
Stiles, G. W., 19-15
Stillwell, Jerry E., 24-36
Stoddard, Herbert L., 20-19, 22-26, 22-42
Stuart, H. O., 22-9
Sumner, E. Lowell, Jr., 22-3, 22-45, 23-20
Sutton, George M., 20-12

Svihla, Arthur, 22-22
Swan, Charles, 20-8
Swanson, Gustav, 24-50
Swanson, Harold B., 22-35
Swenk, Myron H., 19-34
Swift, Ernest, 20-20
Swigart, Mrs. H. M., 24-29
Taylor, E. L., 24-21
Taylor, Norman, 19-30
Taylor, Walter P., 19-9, 21-23, 23-16
Teller, C. Roy, 22-29
Torres, J. Kenneth, 24-22
Thomas, W. Stephen, 19-34
Thompson, Dave, 24-20
Tinchurst, Claud B., 21-16
Tinsley, Seldon L., 24-21
Titus, Harold, 23-16
Towle, Robert E., 23-25
Towns, Homer G., 20-32
Trapido, Harold, 24-37
Trautman, Milton B., 22-6
Travis, Bernard V., 19-16, 22-10
Tronk, F. B., 21-3
Truax, Millard, 21-12
Trump, George E., 20-11
Turner, L. T., 21-9
Twichell, A. R., 20-16
Twinn, C. R., 24-7
Tyzzer, Ernest E., 19-17
Uhler, F. M., 22-19, 23-10
Uttal, Leonard J., 24-2
Van Cleave, Harley J., 22-11
Van Dersal, William R., 24-21
Van Deventer, Wm. C., 22-14
Van Rockel, H., 22-9
Varner, I. M., 20-27
Vaughn, Ernest A., 22-28
Volk, Joseph J., 19-17, 19-18
Wade, Douglas E., 20-31, 23-29
Wahlenberg, W. G., 24-29
Wakeman, Max, 21-7
Walker, R. L., 24-7
Wallace, George J., 22-25
Wallace, Tom, 23-9
Waller, E. F., 24-41
Warburton, C. W., 22-17, 23-9
Weaver, Florence G., 20-16
Weaver, Richard Lee, 22-24, 24-16, 24-17, 24-28
Webb, James W., 21-2, 23-33
Wehr, Everett E., 22-8, 24-12
Welsh, Stanley, 22-19
Welter, Wilfred A., 24-37
Wenzel, Herman C., 20-24
Wessell, Chas. W., 21-11, 21-12
Wetmore, Alexander, 21-15
Wetmore, Psyche W., 24-13
Whelan, R. V., 22-5
Whitaker, H. L., 22-21
White, H. C., 20-6, 24-6
Whitlock, S. C., 19-18, 19-22, 19-23, 19-24, 22-8, 23-4
Wickliff, Edward L., 22-6
Wickstrum, R. K., 22-4
Wilcox, Le Roy, 22-24
Willett, G., 19-11
Williams, C. S., 24-19
Williams, Louis L., 23-6
Wilson, Everett, 22-35
Wilson, I. D., 24-34
Wolf, Fred T., 20-9
Wolf, Frederick A., 20-9
Wolf, William, 24-10
Wolfson, Fruma, 22-7
Wood, George W., 23-16
Wooster, L. D., 19-28, 20-7, 21-19
Wright, Earl G., 22-36
Yeatter, Ralph E., 22-46
Young, R. T., 22-13
Young, Stanley P., 24-25
Wyman, Donald, 21-3
Zimmermann, F. R., 24-28

STATISTICS FOR WILDLIFE REVIEW
Nos. 19-24, April-November 1939

Issue No.	Date	Number of				
		Abstracts	Authors	Special Articles	Bibliographies	Notes and News
19	April 1939	110	103	--	--	--
20	May 1939	101	104	--	--	--
21	May 1939	97	88	1	--	9
22	August 1939	124	135	1	--	5
23	October 1939	79	91	5	--	--
24	November 1939	161	166	--	4	6
Totals		672	557*	7	4	20

* Duplications deducted.

The edition of this issue of WILDLIFE REVIEW is 3,000 copies.

PRESENTED
Wildlife
Review